

# SPACEDAILY

YOUR PORTAL TO SPACE

SPACEMART

Ads by Goooooogle

## Satellites Detect Significant Ice Loss In Antarctica

by Staff Writers  
Boulder CO (SPX) March 2, 2006

Antarctica's ice sheet has lost a significant amount of ice in just three years, researchers reported Thursday. A team using data from the joint NASA/German Aerospace Center Gravity Recovery and Climate Experiment were able to conduct the first-ever gravity survey of the entire Antarctic ice sheet. Their study found the ice sheet's mass has decreased significantly from 2002 to 2005.




Illustration of the GRACE satellite in orbit.

Researchers Isabella Velicogna and John Wahr of the University of Colorado found that the continent at the South Pole has lost a great deal of ice mass since the twin GRACE spacecraft were launched in 2002. The estimated loss was enough to raise global sea level about 1.2 millimeters (0.05 inches) during the survey period, or about 13 percent of the overall observed sea-level rise for the same period.

Reporting in the March 3 issue of the journal Science, the researchers said they found Antarctica's ice sheet decreased by 152 (plus or minus 80) cubic kilometers of ice annually between April 2002 and August 2005.

That is about how much water the United States consumes in three months (a cubic kilometer is 1 trillion liters, or about 264 billion gallons of water). This represents a change of about 0.4 millimeters (.016 inches) per year to global sea-level rise. Most of the mass loss came from the West Antarctic ice sheet.

"Antarctica is Earth's largest reservoir of fresh water," Velicogna said. "The GRACE mission is unique in its ability to measure mass changes directly for entire ice sheets and can determine how Earth's mass distribution changes over time.

"Because ice sheets are a large source of uncertainties in projections of sea level change, this represents a very important step toward more accurate prediction, and has important societal and economic impacts. As more GRACE data become available, it will become feasible to search for longer-term changes in the rate of Antarctic mass loss."

Measuring variations in Antarctica's ice-sheet mass is difficult because of its

**Sail to Antarctica**  
Exciting Hands-On  
Sailing Aboard Beautiful  
Tall Ship  
[www.rannochadventures.com](http://www.rannochadventures.com)

**Drive Down Global Warming**  
As Seen in NYT Annual  
Ideas Issue Offset your  
climate impact today!  
[www.TerraPass.com](http://www.TerraPass.com)

**Snow Melt Cable**  
Self-regulating heating  
cable gives freeze  
protection for  
roofs/gutters  
[www.snowmeltcables.com](http://www.snowmeltcables.com)

**Peak Oil  
News/Discussion**  
The Oil Drum is the web's  
premier peak oil and  
energy community  
[www.theoil drum.com](http://www.theoil drum.com)

**Antarctica Adventures**  
Small groups and expert  
guides. Mountain Travel  
Sobek since 1969  
[www.mountaintravelsobek.com](http://www.mountaintravelsobek.com)

Advertise on this site

size and complexity. GRACE is able to overcome these issues, surveying the entire ice sheet and tracking the balance between mass changes in the interior and coastal areas.

Previous estimates have used various techniques, each with limitations and uncertainties and an inherent inability to monitor the entire ice sheet mass as a whole. Even studies that synthesized results from several techniques, such as the assessment by the United Nations Intergovernmental Panel on Climate Change, suffered from a lack of data in critical regions.

"Combining GRACE data with data from other instruments such as NASA's Ice Cloud and land Elevation Satellite, radar and altimeters that are more effective for studying individual glaciers is expected to substantially improve our understanding of the processes controlling ice sheet mass variations," Velicogna said.

The Antarctic mass-loss findings were enabled by the ability of the GRACE satellites to track minute changes in Earth's gravity field resulting from regional changes in planet mass distribution.

Mass movement of ice, air, water and solid earth reflect weather patterns, climate change and even earthquakes. To track these changes, GRACE measures micron-scale variations in the 220 kilometer (137 mile) separation between the two satellites, which fly in formation.

GRACE is managed for NASA by the Jet Propulsion Laboratory in Pasadena, Calif. The University of Texas Center for Space Research has overall mission responsibility. GeoForschungsZentrum Potsdam (GFZ), Potsdam, Germany, is responsible for German mission elements. Science data processing, distribution, archiving and product verification are managed jointly by JPL, the University of Texas and GFZ.

Related Links

- [Grace at Texas](#)
- [SpaceDaily](#)
- [Search SpaceDaily](#)
- [Subscribe To SpaceDaily Express](#)

**Antarctica Cruise**

Cruise to Antarctica/Chilean fjords Penguins, Whales, Seals

**Icebreaker Cruises**

Yamal North Pole Official Site  
Low Prices on Arctic Cruises

**Frontline/World: Tuvalu**

Do global warming and rising seas doom the island? Watch online.

**Save on Antarctica Cruise**

Save up to 75% on Antarctica cruises at Vacations To Go.

Ads by Goooooogle

Advertise on this site



[Memory Foam Mattress Review](#)

**SPACEDAILY MARKETPLACE AND CLASSIFIEDS**  
[Solar Energy Solutions](#) :: [Spanish Property for Sale](#)  
[Shop for telescopes online](#) :: [Memory Foam Mattress Review](#)



[South Coast Accommodation](#)

**Newsletters :: SpaceDaily Express :: SpaceWar Express :: TerraDaily Express  
XML Feeds :: Space News :: Earth News :: War News :: China News**

**SPACE TRAVEL**

- Heinz Condiments Treat Astronauts At The International Space Station
- Unreal Estate: The Men who Sold the Moon
- NASA Awards Contract to Enterprise Advisory Services
- NASA Awards Sciences and Exploration Data Analysis Contract

**MARSDAILY**

- Two Other Mars Missions Heating Up
- Mars Rover Team Plays It Safes With Spirit
- Mars Rover Update: Preparing For Another Winter
- Mars Rovers Robotics Planetary Exploration Atacama Xenobiology

**LAUNCH PAD**

- Too Early To Ban Proton-M Launches - Roscosmos
- Hitch As Russian Rocket Launches Arab Telecoms Satellite

**EARTH OBSERVATION**

- ESA Satellite Program Monitors Dangerous Ocean Eddies
- Boeing To Process Radar Data From Endeavour

Arianespace Confirms WildBlue-1 For GEO Launch

- Arianespace Resets Launch For March 9

## OUTER PLANETS

- New Horizons Update: 'Boulder' and 'Baltimore'
- New Horizons Set For A Comfortable Cruise Out To Jupiter And Pluto Transfer
- Questioning Pluto
- Subaru Collaborates With Pluto Kuiper Belt Mission

## SPACE SCOPES

- Hubble Captures Its Biggest Galaxy Image Yet
- ESA Joins Forces With Japan On New Infrared Sky Surveyor
- Hubble Confirms Pluto's New Moons
- JAXA Akari Space Telescope In Orbit

Envisat Marks Four Year In ESA Mission To Planet Earth

- NASA Awards Ocean Color Research Support Services Contract

## STELLAR CHEMISTRY

- Magnetic Field Sculpts Narrow Jets From Dying Star
- Milky Way And Andromeda Galaxy Share Common History
- Pulsar Causes Mysterious Collision With Stellar Winds
- VLT Captures Supernova In Messier 100

## MOONDAILY

- SMART-1 Tracks Crater Lichtenberg And Young Lunar Basalts
- Noah's Ark On The Moon
- Quantum Technique Can Foil Hackers
- X PRIZE Foundation And The \$2M Lunar Lander Challenge

The contents herein, unless otherwise known to be public domain, are Copyright 1995-2005 - SpaceDaily. AFP and UPI Wire Stories are copyright Agence France-Presse and United Press International. ESA Portal Reports are copyright European Space Agency. All NASA sourced material is public domain. Additional copyrights may apply in whole or part to other bona fide parties. Advertising does not imply endorsement, agreement or approval of any opinions, statements or information provided by SpaceDaily on any web page published or hosted by SpaceDaily. [Privacy statement](#)