


[HOME](#)
[FORUM](#)
[WEBLOG](#)
[SEARCH](#)
[ARCHIVE](#)
[NEWSLETTER](#)
[VIDEO](#)

News by category

[» Electronic Devices](#)
[» General Science](#)
[» Nanotechnology](#)
[» Physics](#)
[» Space and Earth science](#)
[» Technology](#)
[» News Videos](#)
[» Books directory](#)
[» Free Magazines](#)

Most popular

[» Scratches no match for Nissan's new car paint](#)
[» Myth: Eating turkey makes you sleepy](#)
[» Oil Expert To Address Theory That Peak Oil Has Arrived](#)
[» New York tech start-up develops DNA amplifier the size of a paper clip](#)
[» Space-time Vortex](#)

News videos


[» Science news videos](#)
[» Space news videos](#)
[» Science&Nature news videos](#)
[» Science&Tech news videos](#)
[» Your Health news videos](#)
[» World Headlines news videos](#)

Latest forum posts

[How do you feel today?](#)
last post by **Drude**
[Basic Physics](#)
last post by **frater plecticus**
[C. Difficle](#)
last post by **Drude**
[pendulum](#)

Satellites Capture First-Ever Gravity Map Of Tides Under Antarctic Ice

Space and Earth science : December 05, 2005

[Newsletter](#)
[Print](#)
[Email](#)
 Font size: - N +


Ohio State University scientists have used minute fluctuations in gravity to produce the best map yet of ocean tides that flow beneath two large Antarctic ice shelves. They did it using the twin satellites of the Gravity Recovery and Climate Experiment (GRACE), a joint project of NASA and the German Aerospace Center.

Sponsored Links (Ads by Google)

[Antarctic Cruise Sale](#) - [www.Cruise.com](#)

Huge Online Discounts! VIP Service. Low Price Guarantee. Save up to 81%

[Antarctica Cruise Experts](#) - [www.AdventureSmithExplorations.com](#)

Browse ships, trips & prices online Call our experienced US staff.

Image: GRACE-measured gravity fluctuations from twice-daily tides caused by the moon. Courtesy of Ohio State University.

Large tides flow along the ocean floor beneath the Larsen and Filchner-Ronne Ice Shelves. Though scientists have long known of these tides, they have not yet been modeled accurately, said C.K. Shum, professor of civil and environmental engineering and geodetic science at Ohio State. Yet the tides play a major role in scientists' efforts to measure how much the ice sheets are melting or freezing, and how the melting ice will affect global sea levels.

While the tides cause only minute fluctuations in Earth's overall gravity, they are actually composed of massive amounts of water, he explained.

Breaking news:

Physics

Precise measurement of physics theory proves true even under extreme conditions
2 hours ago

Physics

Crystal of holes discovered: Unusual state of matter
2 hours ago

Nanotechnology

Detecting Single Viruses, Nanoparticles in Real-Time
8 hours ago

Nanotechnology

Researchers Achieve First Electrowetting of Carbon Nanotubes
7 hours ago

Nanotechnology

New nanosensor uses quantum dots

last post by **Drude**

[Questions interface of flat tape DNAs to humanic D](#)

last post by **philip347**

[Next step in making interstellar travel possible?](#)

last post by **adoucette**

[Another thought experiment](#)

last post by

Guest_Confused2

[Cause of Earthquakes](#)

last post by **IsItReality**

[Solar energy has potential to dominate by 2030](#)

last post by **lengould**

[Rapid ice sheet melting causes concern](#)

last post by **lengould**

[All today's posts](#)

News archive

[» News archive](#)

[» Search](#)

Survey

[Help us make our site better!](#)

Take PhysOrg.com Survey

The survey takes less than two minutes, there's nothing to identify you personally, and you won't receive any email or other sales pitches by participating.

The ice is a mile thick in parts, and the tides are so large that they can lift the shelves – with a combined area bigger than the state of California – as high as 15 feet.

Scientists believe that these unseen tides can carve into the ice from underneath and eventually cause pieces to break off, as part of the Larsen Ice Shelf broke off in 1995.

The tides also make the job of measuring changes in the ice more difficult. Large portions of these two ice shelves float on the water, so the rise and fall of the ice with the tides prevents scientists from making precise measurements of ice thickness.

The GRACE [satellites](#) offer a good way to track the tides, Shum said. Ocean currents slightly nudge the force of gravity higher or lower in some places around the world every day. GRACE can detect those changes.

Shin-Chan Han, a research scientist in the School of Earth Sciences at Ohio State, presented the study Wednesday in a poster session at the [meeting](#) of the American Geophysical Union in San Francisco.

Other research groups have tried to measure these tides terrestrially with sensors called tide gauges. But doing so in Antarctica means first drilling through the ice to plant the sensors on the ocean floor, and then retrieving the sensors later to download the data. Because of the equipment expense and the harsh conditions on the frozen continent, scientists have been able to plant only a handful of these sensors there.

“There were measurements of these tides before, but they were confined to very few spots,” Shum said. “To get really accurate measurements – and make really accurate models of how the tides are interacting with the ice – you’d need to put tide gauges or other equipment all over the ocean bottom underneath an ice shelf, and that’s not practical.”

The twin GRACE satellites have circled the globe in tandem since 2002, effectively drawing a picture of the Earth's gravity field at least once a month. On-board instruments measure very precisely any minute tugs the Earth exerts on the satellites while they're in orbit.

Ads by Google

Grace Roofing Underlays
Grace Ice & Water Shield®, leak and ice dam protection.

www.GraceatHome.com

Sail to Antarctica
Tall Ship "Bark Europa" Offers Sailing Expeditions to Antarctica
www.rannochadventures.com

All the Antarctic Cruises
All the Antarctica Cruises & Tours! Smart Antarctica Cruises Start Here
Antarctic.Cruise.AlltheVacation.com


Liquid Ice Melter
Pre season pricing on deicers Non damaging and long lasting
www.interstateproducts.com

To get a handle on the extent of the Antarctic tides, Shum and his team used GRACE to measure the change in local gravity as water flowed beneath the two ice shelves between August 2002 and June 2004.


Shum and his team, including Han and Koji Matsumoto of the National Astronomical Observatory of Japan, used the gravity variations to calculate expected tide height beneath a number of key points on the two ice shelves.

The researchers compared their data to two Antarctic tide models created by other groups. The two models – which were based on sparse data collected from tide gauges on the continent – agreed with the GRACE data to within 20 percent.

“We have reason to believe that GRACE data is more accurate because the other models are based on substantially less data,” Shum said. “So we think that people who incorporate our GRACE data into their own data are going to get better results. We also hope to help glaciologists measure changes in the ice flow much



The Engineering Search Engine




[The New Quantum Universe](#)

Tony Hey

[Best Price \\$16.](#)

or

Buy New [\\$24.4](#)



[Hyperspace](#)
 Michio Kaku
[Best Price \\$5.1](#)
 or
 Buy New \$10.8

more accurately.”

Not knowing precisely where the tides are – and how big they are – creates two kinds of errors in scientists’ measurements, he said.

As an ice sheet rises with the tide, part of the grounded portion that normally rests on the ocean floor raises up. Researchers call the point of contact between the ice and the rock the grounding line, and the rise of the ice effectively moves the grounding line inland. That means that while the tide is high, more of the ice bottom is contacting the water than when the tide is low.

Scientists need to know where the grounding line is in order to determine what portion of the ice shelf is being affected by direct contact with the water. Based on the data from GRACE, Shum suspects that previous estimates of where the grounding line is located on these two ice shelves could be off by hundreds of meters (thousands of feet) in different locations.

Meanwhile, the rise and fall of the ice can make the surface appear to be higher or lower than it really is when satellites measure the ice sheets’ topography. Depending on the time of day they record their elevation measurements, scientists who use that data to calculate the mass of an ice sheet can get totally different answers.

While people have studied the tides at Earth’s middle latitudes for centuries, tides at the poles have presented scientists with serious obstacles, Shum said. Where harsh conditions prevent detailed study, the terrain of the ocean bottom is not well known. The interaction between the water and polar ice sheets isn’t fully understood, either.

Source: Ohio State University

[\[Rate the story\]](#) [User rating: **4.5** out of 5 after 2 total votes] [\[Comments\]](#) [\[Blog It\]](#)

Related stories:

- » [Global warming: Carbon dioxide levels highest for 650,000 years , November 24, 2005](#)
- » [Seafloor Creatures Destroyed By Ice Action During Ice Ages , October 19, 2005](#)
- » [European ice satellite reported lost in space \(Update 3\) , October 08, 2005](#)
- » [CryoSat set for launch , October 08, 2005](#)
- » [Countdown to satellite launch , October 06, 2005](#)
- » [British climate satellite to be launched , October 05, 2005](#)
- » [Scientists believe open water in summer has become key to declining arctic ice , September 30, 2005](#)
- » [Arctic sea ice continues decline as temperatures rise , September 28, 2005](#)

FindWhat search:

PhysOrgForum discussions:

This is a place for us to exchange thought and is public so we can communicate. Your post will be added to PhysOrgForum.

You need to be registered at PhysOrgForum to add your comments. If you do not have a username / password please [register here](#) !

We require registration to prevent spam at PhysOrgForum. Registration is very simple and will not take much time!

Username:

Password:

Topic Title:

Your comments:
NO HTML TAGS (they will be removed)!

Other news discussion topics:

- [This is nonsense](#)
- [There is a team at Caltech with a bright idea...](#)
- [Project serpo](#)
- [SpaceX Delays Maiden Flight of Falcon 1 Rocket](#)
- [Harbin benzene](#)

[HOME](#)

[SEARCH](#)

[PDA VERSION](#)

[LINKS](#)

[CONTACT US](#)

[ADD HEADLINES TO YOUR SITE](#)

[©PhysOrg.com 2003-2005 Privacy Policy](#)