



College of Engineering

Search Go![Engineering Home](#) > [News](#) > [News Releases](#) > [August 2006](#)

News

[News Media Contacts](#)

[Engineering News](#)

[Search for News Articles](#)

[Corporate News](#)

[Publications](#)

[Action Shots](#)

[Faculty Portraits & Bios](#)

[Staff Portraits & Bios](#)

[Visual Guidelines](#)

[XML](#)

[RSS Feed](#)

[Quick Links](#)

[Engineering Home](#)[Go!](#)

Greenland's ice loss accelerating rapidly, gravity-measuring satellites reveal

August 10, 2006

A new analysis of data from twin satellites has revealed that the melting of Greenland's ice sheet has increased dramatically in the past few years, with much of the loss occurring primarily along one shoreline potentially affecting weather in Western Europe.

The loss of ice has been occurring about 5 times faster from Greenland's southeastern region in the past two years than in the previous year and a half. The dramatic changes were documented during a University of Texas at Austin study of Greenland's mass between 2002 and 2005.

The study was published today in the journal *Science*. Related results on the significant loss of ice from Antarctica were published in *Science* in March by other researchers participating in the Gravity Recovery and Climate Experiment (GRACE) mission. The GRACE mission is funded by NASA and the German Aerospace Center, and led by Aerospace Engineering Professor Byron Tapley at the university.

"Our latest GRACE findings are the most complete measurement of ice mass loss for Greenland," said Tapley, director of the university's Center for Space Research (CSR) and holder of the Clare Cockrell Williams Centennial Chair in Engineering. "The sobering thing to see is that the whole process of glacial melting is stepping up much more rapidly than before."

Antarctica is considered the largest, and Greenland the second largest, reservoir of fresh water on Earth, with the latter containing about 10 percent of the world's fresh water. Melting of ice from these two regions is expected to impact sea level and ocean circulation, and potentially the future of climates worldwide.

The Greenland study, for example, suggests that the amount of fresh water contributed from the melting of its ice sheet could add 0.56 millimeters annually to a global increase in sea levels, higher than all previously published measurements.

"These findings are consistent with the most recent independent measurements of Greenland's mass done by other techniques like satellite radar interferometry, but in this case they provide a direct measure of ice-mass changes," said

Geology Professor Clark Wilson, a co-author on the latest Science article who helped analyze the estimates for Greenland. Wilson chairs the Department of Geological Sciences at the university and holds the Wallace E. Pratt Professorship in Geophysics.

Within the subpolar zone that includes Greenland, the rapid rise in meltwater along its eastern coast could add to other warming-related factors believed to be weakening the counterclockwise flow of the North Atlantic Current. For instance, the increased meltwater could change how more buoyant fresh water mixes with salt water in a branch of this flow called the Norwegian Current. This change could lower the temperatures of water, and thus wind, that travels past the west coast of Ireland and Great Britain.

That ocean temperature change would occur because the current might not move northward past Norway before returning to more southerly latitudes. Warmer, southerly waters would be stalled from moving northward if that happened, resulting in chillier winters in parts of Western Europe.

"If enough fresh water enters the Norwegian Current," Tapley said, "and you interrupt return flow, then there could be climate effects in Europe."

The twin GRACE satellites provide the most comprehensive monthly estimates of Greenland's ice-mass balance. The satellites are sensitive to the gravitational pull of mass changes on Earth, which produce micrometer-scale variations in the distance (137 miles or 220 kilometers) that separates the two satellites as they fly in formation over Earth.

Lead author Jianli Chen, a CSR research scientist, developed a method to improve the effective spatial resolution of mass change estimates. The method used the known locations of major glaciers as information in estimating the sources of mass change.

"By using this special filtering procedure," Chen said, "we teased out additional details of mass changes in Greenland along its Southeastern and Northeastern shores separately."

The estimates showed that 69 percent of the ice-mass loss in recent years came from eastern Greenland. Of the 57 cubic miles (239 cubic kilometers) of water mass lost on average each year, 39 cubic miles (164 cubic kilometers) were from the eastern shoreline. More than half of that eastern loss involved ice from the glacier complex in southeast Greenland.

"This melting process may be approaching a point where it won't be centuries before Greenland's ice melts, but a much shorter time-frame," Tapley said, noting that it isn't possible to tell how much sooner this will be.

Tapley is in the College of Engineering, and Wilson, whose department is part of the Jackson School of Geosciences, lead grants funded primarily by NASA to pursue research questions

related to large-scale mass changes impacting Earth's features.

GRACE is managed for NASA by the Jet Propulsion Laboratory, and is in its fifth year of a 10-year mission. The University of Texas Center for Space Research in the College of Engineering has overall mission responsibility, and GeoForschungsZentrum Potsdam (GFZ) in Potsdam, Germany, handles German mission elements. Science data processing, distribution, archiving and product verification are managed jointly by JPL, The University of Texas at Austin, and GFZ.

NOTE: For photos of Dr. Tapley related to GRACE, go to:
http://www.engr.utexas.edu/news/action_shots/pages/GRACE_Tapley.cfm

[Email this article to a friend](#)

About UT's College of Engineering:

The University of Texas at Austin College of Engineering ranks among the top six public engineering schools in the United States, according to U.S. News and World Report. With the nation's third highest percentage of faculty elected members of the National Academy of Engineering, the College's 6,500 students gain exposure to the nation's finest engineering practitioners. Appropriately, the College's logo, an embellished checkmark used by the first UT engineering dean to denote high quality student work, is the nation's oldest quality symbol. The College maintains a web site at <http://www.engr.utexas.edu>.

[UT Directory](#) | [UT Offices A-Z](#) | [Campus & Parking Maps](#) | [Calendars](#) | [Accessibility](#) | [UT Direct](#)

Last Updated: August 10, 2006 | College of Engineering at [The University of Texas at Austin](#) | [Engineering Contacts](#) | [Send comments](#)